



BMB Trade GmbH
 Breslauer Str. 6
 D-41460 Neuss / Germany
Tel: +49 2131 531 2285
 Fax: +49 2131 531 2294
bmb@steel-group.com
www.steel-group.com
 UST-ID: DE815356364 St-Nr.: 133/5808/2420

Our Ref: **Offer No 726**

Date: **14.02.2019**

Stainless Steel Coils & Sheets

Excess Prime & Second Choice

| Pos | QUALITY | FINISH | SIZE (mm) | | | NET KG | PCS | Choice | Slit | Selection |
|-----|---------|--------|-----------|------|------|--------|-----|--------------|------|-----------|
| 1 | 410 | 1D | 5,00 | 1251 | 2501 | 725 | 6 | SECOND | Slit | |
| 2 | 430 | BA | 0,39 | 192 | | 266 | 1 | Excess Prime | Slit | |
| 3 | 430 | BA | 0,39 | 93 | | 726 | 1 | Excess Prime | Slit | |
| 4 | 430 | BA | 0,39 | 1255 | | 1.345 | 1 | SECOND | Mill | |
| 5 | 430 | BA | 0,40 | 474 | 1665 | 704 | 296 | Excess Prime | Slit | |
| 6 | 430 | BA | 0,40 | 474 | 1665 | 682 | 286 | Excess Prime | Slit | |
| 7 | 430 | BA | 0,40 | 475 | 1666 | 516 | 215 | Excess Prime | Slit | |
| 8 | 430 | BA | 0,46 | 60 | | 836 | 2 | Excess Prime | Slit | |
| 9 | 430 | BA | 0,49 | 1300 | | 2.375 | 1 | SECOND | Slit | |
| 10 | 430 | BA | 0,49 | 1514 | | 2.120 | 1 | Excess Prime | Mill | |
| 11 | 430Ti | BA | 0,49 | 1229 | | 1.362 | 1 | Excess Prime | Slit | |
| 12 | 430Ti | BA | 0,55 | 460 | | 365 | 1 | Excess Prime | Slit | |
| 13 | 430Ti | BA | 0,55 | 513 | | 410 | 1 | Excess Prime | Slit | |
| 14 | 430Ti | BA | 0,55 | 513 | | 410 | 1 | Excess Prime | Slit | |
| 15 | 430Ti | BA | 0,56 | 186 | | 2.174 | 3 | Excess Prime | Slit | |
| 16 | 430Ti | BA | 0,56 | 566 | | 570 | 1 | SECOND | Slit | |
| 17 | 430Ti | BA | 0,56 | 566 | | 575 | 1 | Excess Prime | Slit | |
| 18 | 430Ti | BA | 0,58 | 243 | | 1.736 | 1 | Excess Prime | Slit | |
| 19 | 430Ti | BA | 0,58 | 236 | | 1.882 | 1 | Excess Prime | Slit | |
| 20 | 430Ti | BA | 0,58 | 236 | | 1.978 | 1 | Excess Prime | Slit | |
| 21 | 430Ti | BA | 0,63 | 171 | | 2.514 | 2 | Excess Prime | Slit | |
| 22 | 430Ti | BA | 0,63 | 114 | | 1.498 | 2 | Excess Prime | Slit | |
| 23 | 430Ti | BA | 0,63 | 122 | | 862 | 1 | Excess Prime | Slit | |
| 24 | 430Ti | BA | 0,63 | 165 | | 1.100 | 1 | Excess Prime | Slit | |
| 25 | 430Ti | BA | 0,68 | 155 | | 2.435 | 1 | Excess Prime | Slit | |
| 26 | 430 | BA | 0,79 | 225 | | 640 | 1 | Excess Prime | Slit | |
| 27 | 430 | BA | 0,79 | 1010 | | 1.640 | 1 | Excess Prime | Mill | |
| 28 | 430 | BA | 0,79 | 270 | | 545 | 1 | SECOND | Slit | |
| 29 | 430 | BA | 0,79 | 500 | | 632 | 1 | SECOND | Slit | |
| 30 | 430 | BA | 0,79 | 500 | | 632 | 1 | SECOND | Slit | |
| 31 | 430 | 2B | 0,79 | 178 | | 550 | 1 | Excess Prime | Slit | |
| 32 | 430Ti | 2D | 0,79 | 257 | | 2.410 | 3 | Excess Prime | Slit | |

| | | | | | | | | |
|----|-------|----|------|------|-------|---|--------------|------|
| 33 | 430Ti | 2D | 0,79 | 257 | 1.522 | 2 | Excess Prime | Slit |
| 34 | 430Ti | 2D | 0,79 | 590 | 1.660 | 1 | Excess Prime | Slit |
| 35 | 430Ti | 2D | 0,79 | 590 | 1.658 | 1 | Excess Prime | Slit |
| 36 | 430Ti | 2D | 0,79 | 645 | 575 | 1 | SECOND | Slit |
| 37 | 430Ti | 2D | 0,79 | 645 | 580 | 1 | SECOND | Slit |
| 38 | 430Ti | 2D | 0,79 | 180 | 622 | 2 | Excess Prime | Slit |
| 39 | 430Ti | 2D | 1,47 | 1535 | 2.440 | 1 | Excess Prime | Slit |
| 40 | 430 | BA | 1,66 | 300 | 2.545 | 1 | Excess Prime | Slit |
| 41 | 430 | BA | 1,66 | 300 | 2.495 | 1 | Excess Prime | Slit |
| 42 | 430 | BA | 1,66 | 110 | 1.846 | 2 | Excess Prime | Slit |
| 43 | 430 | BA | 1,66 | 110 | 1.946 | 2 | Excess Prime | Slit |
| 44 | 430 | BA | 1,66 | 110 | 1.998 | 2 | Excess Prime | Slit |
| 45 | 430 | BA | 1,66 | 240 | 1.936 | 1 | Excess Prime | Slit |
| 46 | 430 | BA | 1,66 | 240 | 2.108 | 1 | Excess Prime | Slit |
| 47 | 430 | BA | 1,66 | 240 | 2.178 | 1 | Excess Prime | Slit |
| 48 | 430 | BA | 1,66 | 240 | 2.180 | 1 | Excess Prime | Slit |
| 49 | 430 | BA | 1,66 | 240 | 2.768 | 2 | Excess Prime | Slit |
| 50 | 430 | BA | 1,66 | 230 | 1.852 | 1 | Excess Prime | Slit |
| 51 | 430 | BA | 1,66 | 230 | 1.976 | 1 | Excess Prime | Slit |
| 52 | 430 | BA | 1,66 | 220 | 1.546 | 1 | Excess Prime | Slit |
| 53 | 430 | BA | 1,66 | 220 | 1.540 | 1 | Excess Prime | Slit |
| 54 | 430 | BA | 1,66 | 220 | 2.014 | 1 | Excess Prime | Slit |
| 55 | 430 | BA | 1,66 | 220 | 1.928 | 1 | Excess Prime | Slit |
| 56 | 430 | BA | 1,66 | 250 | 2.116 | 1 | Excess Prime | Slit |
| 57 | 430 | BA | 1,66 | 250 | 2.128 | 1 | Excess Prime | Slit |
| 58 | 430 | BA | 1,66 | 193 | 666 | 1 | Excess Prime | Slit |
| 59 | 430 | BA | 1,66 | 344 | 1.178 | 1 | Excess Prime | Slit |
| 60 | 430 | BA | 1,66 | 344 | 2.352 | 2 | Excess Prime | Slit |
| 61 | 430 | BA | 1,66 | 210 | 1.772 | 1 | Excess Prime | Slit |
| 62 | 430 | BA | 1,66 | 210 | 1.880 | 1 | Excess Prime | Slit |
| 63 | 430 | BA | 1,66 | 220 | 1.874 | 1 | Excess Prime | Slit |
| 64 | 430 | BA | 1,66 | 220 | 2.164 | 1 | Excess Prime | Slit |
| 65 | 430 | BA | 1,66 | 220 | 2.170 | 1 | Excess Prime | Slit |
| 66 | 430 | BA | 1,66 | 210 | 1.902 | 1 | Excess Prime | Slit |
| 67 | 430 | BA | 1,66 | 220 | 1.896 | 1 | Excess Prime | Slit |
| 68 | 430 | BA | 1,66 | 278 | 2.298 | 1 | Excess Prime | Slit |
| 69 | 430 | BA | 1,66 | 278 | 2.394 | 1 | Excess Prime | Slit |
| 70 | 430 | BA | 1,66 | 200 | 2.934 | 2 | Excess Prime | Slit |
| 71 | 430 | BA | 1,66 | 200 | 1.766 | 1 | Excess Prime | Slit |
| 72 | 430 | BA | 1,66 | 200 | 1.768 | 1 | Excess Prime | Slit |
| 73 | 430 | BA | 1,66 | 200 | 1.738 | 1 | Excess Prime | Slit |
| 74 | 430 | BA | 1,66 | 200 | 1.718 | 1 | Excess Prime | Slit |
| 75 | 430 | BA | 1,66 | 200 | 1.728 | 1 | Excess Prime | Slit |

| | | | | | | | | | |
|-----|--------|----|------|------|-------|-------|-----|--------------|------|
| 76 | 430 | BA | 1,66 | 190 | | 1.798 | 1 | Excess Prime | Slit |
| 77 | 430 | BA | 1,66 | 190 | | 1.816 | 1 | Excess Prime | Slit |
| 78 | 430 | BA | 1,66 | 190 | | 1.635 | 1 | Excess Prime | Slit |
| 79 | 430 | BA | 1,66 | 190 | | 1.630 | 1 | Excess Prime | Slit |
| 80 | 430 | BA | 1,66 | 190 | | 1.685 | 1 | Excess Prime | Slit |
| 81 | 430 | BA | 1,66 | 210 | | 1.682 | 1 | Excess Prime | Slit |
| 82 | 430 | BA | 1,66 | 210 | | 1.918 | 1 | Excess Prime | Slit |
| 83 | 430 | 2B | 3,00 | 740 | | 1.064 | 1 | Excess Prime | Slit |
| 84 | 430 | 2B | 3,03 | 1290 | | 696 | 1 | SECOND | Mill |
| 85 | 430 | 2B | 3,97 | 1500 | | 1.836 | 1 | Excess Prime | Slit |
| 86 | 1.4062 | 1D | 4,91 | 1501 | 3002 | 1.428 | 8 | SECOND | Slit |
| 87 | 304ED | BA | 0,39 | 1275 | | 1.196 | 1 | Excess Prime | Mill |
| 88 | 304ED | BA | 0,40 | 576 | 1614 | 1.496 | 519 | Excess Prime | Slit |
| 89 | 304ED | BA | 0,40 | 718 | 701 | 942 | 610 | Excess Prime | Slit |
| 90 | 304ED | BA | 0,40 | 718 | 701 | 434 | 276 | Excess Prime | Slit |
| 91 | 304ED | BA | 0,40 | 579 | 648,1 | 600 | 511 | Excess Prime | Slit |
| 92 | 304L | 2B | 0,49 | 1001 | 2000 | 1.400 | 177 | SECOND | Slit |
| 93 | 304ED | 2B | 0,68 | 1266 | | 7.420 | 1 | SECOND | Mill |
| 94 | 304ED | 2B | 0,78 | 750 | | 2.050 | 1 | SECOND | Slit |
| 95 | 304ED | 2B | 0,78 | 750 | | 2.020 | 1 | SECOND | Slit |
| 96 | 304DDQ | 2B | 0,98 | 1542 | | 2.660 | 1 | SECOND | Mill |
| 97 | 304DDQ | 2D | 1,00 | 1278 | | 1.820 | 1 | Excess Prime | Slit |
| 98 | 304L | 2D | 1,49 | 1500 | | 2.110 | 1 | SECOND | Slit |
| 99 | 304L | 2B | 3,46 | 180 | | 2.818 | 1 | Excess Prime | Slit |
| 100 | 304L | 2B | 3,95 | 2001 | 4001 | 1.530 | 6 | SECOND | Slit |
| 101 | 304L | 2B | 3,95 | 2001 | 4001 | 763 | 3 | SECOND | Slit |
| 102 | 304L | 2B | 3,97 | 1546 | | 1.540 | 1 | SECOND | Slit |
| 103 | 304L | 2B | 3,97 | 1500 | 3000 | 419 | 3 | SECOND | Slit |
| 104 | 304L | 2B | 3,97 | 1296 | | 3.800 | 1 | SECOND | Slit |
| 105 | 304L | 2B | 4,00 | 219 | | 3.225 | 1 | Excess Prime | Slit |
| 106 | 304L | 2B | 4,00 | 1250 | 2500 | 393 | 4 | SECOND | Slit |
| 107 | 304L | 1D | 4,00 | 1001 | | 4.800 | 1 | Excess Prime | Slit |
| 108 | 304L | 2E | 4,44 | 2001 | 6001 | 1.716 | 4 | SECOND | Slit |
| 109 | 304L | 2E | 4,46 | 2001 | 6001 | 429 | 1 | SECOND | Slit |
| 110 | 304L | 2B | 4,95 | 2001 | 4001 | 1.275 | 4 | SECOND | Slit |
| 111 | 304L | 2B | 4,95 | 2001 | 4001 | 1.599 | 5 | SECOND | Slit |
| 112 | 304L | 2B | 4,97 | 2000 | 6002 | 1.438 | 3 | SECOND | Slit |
| 113 | 304L | 1D | 5,00 | 2000 | 4001 | 1.596 | 5 | SECOND | Slit |
| 114 | 304L | 1D | 5,00 | 2000 | 4001 | 1.918 | 6 | SECOND | Slit |
| 115 | 304L | 1D | 5,02 | 2001 | 4001 | 1.279 | 4 | SECOND | Slit |
| 116 | 304L | 2B | 5,95 | 1500 | 6000 | 4.302 | 10 | SECOND | Slit |
| 117 | 304L | 2B | 5,95 | 1500 | 6000 | 4.305 | 10 | SECOND | Slit |
| 118 | 304L | 1D | 6,00 | 1500 | 3001 | 1.913 | 9 | SECOND | Slit |

| | | | | | | | | | |
|-----|-------|--------|-------|------|------|--------|----|--------------|------|
| 119 | 304L | 1D | 6,00 | 1500 | 3001 | 1.277 | 6 | SECOND | Slit |
| 120 | 304L | 2B | 6,01 | 2001 | 4001 | 1.150 | 3 | SECOND | Slit |
| 121 | 304L | 1D | 6,01 | 2000 | 6001 | 1.720 | 3 | SECOND | Slit |
| 122 | 304L | 2E | 6,72 | 2038 | 4002 | 1.318 | 3 | SECOND | Mill |
| 123 | 304L | 1D | 7,90 | 1001 | | 5.530 | 1 | SECOND | Slit |
| 124 | 304L | 1D | 7,90 | 1001 | | 4.210 | 1 | SECOND | Slit |
| 125 | 304L | 1D | 7,91 | 2000 | 6001 | 1.503 | 2 | SECOND | Slit |
| 126 | 304L | 1D | 9,40 | 1831 | 3660 | 1.006 | 2 | SECOND | Slit |
| 127 | 304L | 1D | 9,40 | 1831 | 3660 | 1.004 | 2 | SECOND | Slit |
| 128 | 304L | 1D | 11,87 | 1502 | 3000 | 1.686 | 4 | SECOND | Slit |
| 129 | 304L | 1D | 11,87 | 1502 | 3000 | 1.678 | 4 | SECOND | Slit |
| 130 | 304L | 1D | 11,87 | 1502 | 3000 | 1.692 | 4 | SECOND | Slit |
| 131 | 304L | 1D | 12,48 | 2000 | 6000 | 2.395 | 2 | SECOND | Slit |
| 132 | 304L | 1D | 12,48 | 2000 | 6000 | 2.395 | 2 | SECOND | Slit |
| 133 | 304L | 1D | 12,48 | 2000 | 6000 | 2.385 | 2 | SECOND | Slit |
| 134 | 304L | 1D | 12,99 | 1547 | 3010 | 1.430 | 3 | SECOND | Mill |
| 135 | 304L | 1D | 12,99 | 1547 | 3010 | 965 | 2 | SECOND | Mill |
| 136 | 301A | 2D | 0,65 | 1269 | | 11.210 | 1 | Excess Prime | Mill |
| 137 | 301A | 2B | 0,98 | 820 | | 6.920 | 1 | Excess Prime | Slit |
| 138 | 301A | 2B | 2,09 | 490 | | 3.064 | 1 | Excess Prime | Slit |
| 139 | 301LN | 2B | 4,44 | 2000 | 6201 | 1.756 | 4 | SECOND | Slit |
| 140 | 301LN | 2B | 4,44 | 2000 | 6201 | 1.758 | 4 | SECOND | Slit |
| 141 | 301LN | 2B | 4,44 | 2000 | 6201 | 1.756 | 4 | SECOND | Slit |
| 142 | 316L | 2B | 0,47 | 569 | | 1.940 | 1 | Excess Prime | Slit |
| 143 | 316Ti | 2B | 0,49 | 1001 | 2000 | 361 | 45 | SECOND | Slit |
| 144 | 316Ti | 2B | 0,49 | 1001 | 2000 | 450 | 56 | SECOND | Slit |
| 145 | 316L | 2B | 0,57 | 126 | | 880 | 1 | Excess Prime | Slit |
| 146 | 316L | 2B | 0,57 | 208 | | 2.674 | 3 | Excess Prime | Slit |
| 147 | 316L | 2B | 0,57 | 190 | | 1.936 | 2 | Excess Prime | Slit |
| 148 | 316L | 2B | 0,57 | 238 | | 836 | 1 | Excess Prime | Slit |
| 149 | 316L | 2B | 0,57 | 238 | | 1.672 | 2 | Excess Prime | Slit |
| 150 | 316L | 2B | 0,57 | 294 | | 1.782 | 2 | Excess Prime | Slit |
| 151 | 316L | 2B | 0,57 | 294 | | 856 | 1 | Excess Prime | Slit |
| 152 | 316L | 2B | 0,57 | 236 | | 1.604 | 2 | Excess Prime | Slit |
| 153 | 316L | 2B | 0,70 | 790 | 2400 | 332 | 32 | Excess Prime | Slit |
| 154 | 316L | 2B | 0,78 | 108 | | 310 | 1 | Excess Prime | Slit |
| 155 | 316L | BA | 0,78 | 705 | | 1.707 | 1 | Excess Prime | Slit |
| 156 | 316L | BA | 0,89 | 114 | | 410 | 1 | Excess Prime | Slit |
| 157 | 316L | 2B | 0,89 | 109 | | 515 | 1 | Excess Prime | Slit |
| 158 | 316L | 2B | 1,20 | 163 | | 411 | 1 | Excess Prime | Slit |
| 159 | 316L | 2D | 1,42 | 1542 | | 2.650 | 1 | SECOND | Slit |
| 160 | 316L | 2D | 1,86 | 1305 | | 1.120 | 1 | SECOND | Slit |
| 161 | 316L | 2B/POL | 1,98 | 2001 | 1000 | 1.660 | 53 | SECOND | Slit |

| | | | | | | | | | |
|-----|--------|--------|-------|------|------|-------|----|--------------|------|
| 162 | 316L | 2B/POL | 1,98 | 2001 | 1000 | 1.375 | 43 | SECOND | Slit |
| 163 | 316L | 2B | 1,98 | 2047 | | 4.590 | 1 | SECOND | Mill |
| 164 | 316L | 2B/POL | 2,47 | 2045 | | 2.380 | 1 | Excess Prime | Mill |
| 165 | 316L | 2B | 2,95 | 2001 | 1000 | 1.600 | 34 | SECOND | Slit |
| 166 | 316L | 2B | 2,97 | 2001 | 6003 | 1.438 | 5 | SECOND | Slit |
| 167 | 316L | 2B | 3,68 | 1298 | | 2.640 | 1 | SECOND | Slit |
| 168 | 316L | 2B | 3,98 | 1535 | | 1.630 | 1 | SECOND | Slit |
| 169 | 316L | 2B | 4,00 | 1544 | | 3.980 | 1 | SECOND | Slit |
| 170 | 316L | 2B | 4,45 | 1910 | 4923 | 3.052 | 9 | SECOND | Slit |
| 171 | 316L | 2B | 4,64 | 2000 | | 5.250 | 1 | SECOND | Slit |
| 172 | 316L | 2B | 4,65 | 2000 | | 3.710 | 1 | Excess Prime | Slit |
| 173 | 316L | 2B | 4,68 | 2000 | | 5.890 | 1 | SECOND | Slit |
| 174 | 316L | 2E | 4,94 | 2001 | 4001 | 1.285 | 4 | SECOND | Slit |
| 175 | 316L | 1D | 5,49 | 1500 | | 5.280 | 1 | SECOND | Slit |
| 176 | 316L | 1D | 9,78 | 1525 | 3058 | 1.840 | 5 | SECOND | Slit |
| 177 | 316L | 1D | 9,78 | 1525 | 3058 | 1.830 | 5 | SECOND | Slit |
| 178 | 316L | 1D | 9,95 | 2000 | 6010 | 1.880 | 2 | SECOND | Slit |
| 179 | 316L | 1D | 9,95 | 2000 | 6010 | 1.885 | 2 | SECOND | Slit |
| 180 | 316L | 1D | 12,82 | 2002 | 6000 | 1.235 | 1 | SECOND | Slit |
| 181 | 1.4462 | 2E | 3,00 | 2001 | 4001 | 743 | 4 | SECOND | Slit |
| 182 | 1.4462 | 2E | 3,00 | 2001 | 6002 | 1.396 | 5 | SECOND | Slit |
| 183 | 1.4462 | 2E | 4,96 | 2000 | 6000 | 1.890 | 4 | SECOND | Slit |
| 184 | 441 | BA | 0,39 | 103 | | 926 | 1 | Excess Prime | Slit |
| 185 | 441 | BA | 0,39 | 1271 | | 2.920 | 1 | SECOND | Mill |
| 186 | 441 | BA | 0,39 | 1271 | | 3.210 | 1 | SECOND | Mill |
| 187 | 441 | 2D | 0,44 | 1015 | | 5.578 | 1 | Excess Prime | Mill |
| 188 | 441 | BA | 0,48 | 1014 | | 524 | 1 | Excess Prime | Mill |
| 189 | 441 | BA | 0,48 | 1015 | | 564 | 1 | Excess Prime | Mill |
| 190 | 441 | BA | 0,48 | 1012 | | 1.096 | 1 | Excess Prime | Mill |
| 191 | 441 | BA | 0,48 | 794 | | 1.324 | 1 | SECOND | Slit |
| 192 | 441 | BA | 0,48 | 794 | | 770 | 1 | Excess Prime | Slit |
| 193 | 441 | BA | 0,48 | 1013 | | 596 | 1 | Excess Prime | Mill |
| 194 | 441 | BA | 0,48 | 1013 | | 474 | 1 | Excess Prime | Mill |
| 195 | 441 | 2B | 0,68 | 144 | | 434 | 1 | Excess Prime | Slit |
| 196 | 441 | 2D | 0,96 | 562 | | 1.175 | 1 | Excess Prime | Slit |
| 197 | 441X | 2D | 1,14 | 1299 | | 3.100 | 1 | Excess Prime | Slit |
| 198 | 441X | 2D | 1,14 | 1299 | | 1.940 | 1 | SECOND | Slit |
| 199 | 441 | 2B | 1,16 | 1288 | | 2.580 | 1 | Excess Prime | Slit |
| 200 | 441 | 2B | 1,20 | 1288 | | 940 | 1 | SECOND | Slit |
| 201 | 441X | 2D | 1,20 | 124 | | 900 | 1 | SECOND | Slit |
| 202 | 441X | 2D | 1,22 | 124 | | 905 | 1 | SECOND | Slit |
| 203 | 441 | 2D | 1,38 | 1303 | | 1.540 | 1 | SECOND | Slit |
| 204 | 441 | 2B | 1,46 | 1544 | | 3.480 | 1 | Excess Prime | Slit |

| | | | | | | | | | | |
|------------------|------|----|------|------|--|----------------|---|--------------|------|--|
| 205 | 441 | 2D | 1,50 | 1542 | | 4.140 | 1 | SECOND | Slit | |
| 206 | 441 | 2D | 1,50 | 1545 | | 4.420 | 1 | SECOND | Slit | |
| 207 | 441 | 2D | 1,50 | 1545 | | 2.200 | 1 | Excess Prime | Slit | |
| 208 | 441X | 2D | 1,50 | 122 | | 1.100 | 1 | SECOND | Slit | |
| 209 | 409X | 2D | 0,95 | 1343 | | 3.390 | 1 | SECOND | Slit | |
| 210 | 444 | 2B | 0,81 | 1030 | | 2.090 | 1 | Excess Prime | Slit | |
| 211 | 321 | 2B | 0,39 | 1000 | | 1.180 | 1 | SECOND | Slit | |
| 212 | 445 | BA | 0,39 | 1243 | | 1.182 | 1 | Excess Prime | Mill | |
| 213 | 445 | BA | 0,50 | 1282 | | 1.312 | 1 | Excess Prime | Mill | |
| 214 | 445 | BA | 0,39 | 1243 | | 2.378 | 1 | SECOND | Mill | |
| 215 | 445 | BA | 0,50 | 1260 | | 1.445 | 1 | Excess Prime | Mill | |
| 216 | 445 | BA | 0,50 | 590 | | 1.485 | 1 | Excess Prime | Slit | |
| 217 | 445 | BA | 0,50 | 590 | | 1.480 | 1 | Excess Prime | Slit | |
| 218 | 445 | BA | 0,50 | 590 | | 1.490 | 1 | Excess Prime | Slit | |
| 219 | 445 | BA | 0,50 | 590 | | 1.470 | 1 | Excess Prime | Slit | |
| TOTAL KG: | | | | | | 406.415 | | | | |

Subject to be unsold!

Origin: EUROPE

Price: Will be sold at the HIGHEST BID!! Please advice your destination/port.

Total Quantity: 406.415 KG

Payment Term: to be arrange.

Delivery Time: ready from stock

Remark: min. selection is 20 Tons!